All publications by Paul C. Kainen as of July 27, 2005

# References

 T. L. Saaty and P. C. Kainen, The Four-Color Problem: Assaults and Conquest, McGraw-Hill, New York, 1977; reprinted by Dover Publications, New York, 1986.

## Neural nets & nonlinear approximation

- [2] P. C. Kainen, V. Kůrková and A. Vogt, Upper bounds on variation with respect to half-spaces, in preparation.
- [3] P. C. Kainen, V. Kůrková and A. Vogt, Integral combinations of Heavisides, submitted for publication 2005.
- [4] P. C. Kainen, Replacing points by compacta in neural network approximation, J. Franklin Inst., 341/4 (2004) 391–399.
- [5] P. C. Kainen, V. Kůrková and M. Sanguineti, Minimization of error functionals under weakened compactness, SIAM J. of Optimization 14 (2003) 732–742.
- [6] P. C. Kainen, V. Kůrková and A. Vogt, Best approximation by linear combinations of characteristic functions of half-spaces, J. of Approximation Theory 122 (2003) 151–159.
- [7] P. C. Kainen and V. Kůrková, Review of Feedforward Neural Network Methodology, by T. L. Fine, *IEEE Trans. on Neural* Networks 12 (2001) no. 3, 647-648.
- [8] P. C. Kainen, Predicting in Prague (Meeting report on 5th ICAN-NGA, 2001), Trends in Cognitive Sciences 5 (2001) no. 10, 409-410.
- [9] P. C. Kainen, V. Kůrková and A. Vogt, Continuity of approximation by neural networks in  $L_p$ -spaces. **Optimization with data**

perturbations II, D. E. Ward, D. Klatte, J.-J. Rűckmann, Eds., Annals of Operations Research 101 (2001) 143–147.

- [10] P. C. Kainen, V. Kůrková and A. Vogt, Geometry and topology of best and near best approximation, J. of Approximation Theory 105 (2000) 252–262.
- [11] P. C. Kainen, V. Kůrková and A. Vogt, Best approximation by Heaviside perceptron networks, *Neural Networks* 13 (2000) 695– 697.
- [12] P. C. Kainen, Convex geometry and nonlinear approximation, in Proc. International Joint Conference on Neural Networks (IJCNN 2000), vol. I, IEEE Press, Piscataway, NJ, 2000, pp. 299–304.
- [13] P. C. Kainen, V. Kůrková and A. Vogt, An integral formula for Heaviside neural networks, *Neural Network World* 10 (2000) 313– 320.
- [14] P. C. Kainen, V. Kůrková and A. Vogt, Approximation by neural networks is not continuous, *Neurocomputing* 29 (1999) 47–56.
- [15] P. C. Kainen, Recent results and mathematical methods for functional approximation by neural networks, Chapter 15 in Dealing with Complexity, M. Karny, K. Warwick and V. Kůrková, Eds., Springer, London, 1998, pp. 220–237
- [16] V. Kůrková, P. C. Kainen and V. Kreinovich, Estimates of the number of hidden units and variation with respect to half-spaces, *Neural Networks* 10 (1997) 1061–1068.
- [17] P. C. Kainen, Utilizing geometric anomalies of high dimension: When complexity makes computation easier, Chapter 18 in Computer-Intensive Methods in Control and Signal Processing, K. Warwick and M. Karny, Eds., Birkhäuser, Boston, 1997, pp. 283–294.
- [18] V. Kůrková and P. C. Kainen, Singularities of finite scaling functions, Applied Math. Letters 9 (1996) 33–37.

- [19] V. Kůrková and P. C. Kainen, A geometric method to obtain error-correcting classification by neural networks with fewer hidden units, **Proceedings of the International Conference on Neural Networks**, vol. 2, IEEE Press, Piscataway, NJ, 1996, pp. 1227–1232.
- [20] V. Kůrková, P. C. Kainen and V. Kreinovich, Dimensionindependent rates of approximation by neural networks and variation with respect to half-spaces, in World Congress on Neural Networks, INNS Press, vol. I, 1995, pp. 54–57.
- [21] O. Sirisaengtaksin, P. C. Kainen, V. Kreinovich and V. Kůrková, For neural networks, even approximate function determines form. J. of Neural, Parallel and Scientific Computations, 2 1995 424– 426.
- [22] V. Kůrková and P. C. Kainen, Functionally equivalent feedforward neural networks, *Neural Computation* 6 (1994) 543–558.
- [23] V. Kůrková and P. C. Kainen, Fuzzy orthogonal dimension and error-correcting classification by perceptron type networks, preprint, Industrial Math, FTT'94
- [24] P. C. Kainen, V. Kůrková, V. Kreinovich and O. Sirisengtaksin, Uniqueness of network parameterization and faster learning, J. of Neural, Parallel and Scientific Computations, 1 1994 459–466.

# Graph theory

- [25] P. C. Kainen and S. Overbay, Book thickness of graphs, III, in preparation.
- [26] P. C. Kainen, On robust cycle bases, in Graph Theory, Combinatorics, Algorithms, and Applications, Y. Alavi, D. M. Jones, D. R. Lick and J. Liu, Eds., *Electronic Notes in Discrete Mathematics* 11 (July 2002) 430–437, http://www.sciencedirect.com/

- [27] P. C. Kainen, A graph-theoretic model for time, in Proceedings of the 4th International Conference on Computing Anticipatory Systems, D. Dubois, Ed., American Institute of Physics, AIP Conference Proceedings 573, June, 2001, pp. 490– 495. (This article won a "best paper" award at the conference.)
- [28] F. Harary, P. C. Kainen and A. Riskin, Every graph of cyclic bandwidth 3 is toroidal, Bull. of the Inst. of Combinatorics and its Applications 27 (1999) 81–84.
- [29] P. C. Kainen, Paradoxical order, Erdős memorial issue, Geombinatorics 6 (1997) no. 3, 85–89.
- [30] F. Harary and P. C. Kainen, On the dichromatic index of a digraph, *Quaestiones Math.* 19 (1996) no. 1–2, 325–329.
- [31] P. C. Kainen, An upper bound for total chromatic numbers, in Graph Theory, Combinatorics, and Applications, Vol. 1, Y. Alavi and A. Schwenk, Eds., Wiley, 1995; pp. 611–615.
- [32] F. Harary and P. C. Kainen, The cube of a path is maximal planar, Bull. of the Inst. of Combinatorics and its Applications 7 (1993) 55–56.
- [33] P. C. Kainen, Is the four color theorem true? Geombinatorics 3 (1993) no. 2, 41–56.
- [34] P. C. Kainen, Is the chromatic number of the plane robust? Geombinatorics 2 (1992) no. 2, 33–36.
- [35] P. C. Kainen, Upper bound for linear arboricity, Appl. Math. Lett. 4 (1991) no. 4, 53–55.
- [36] P. C. Kainen, The book thickness of a graph. II, Proceedings of the Twentieth Southeastern Conference on Combinatorics, Graph Theory, and Computing, Congr. Numer. 71 (1990), 127–132.
- [37] P. C. Kainen, Arboricity and edge partitions, Graph theory, combinatorics, algorithms, and applications, Y. Alavi et al., Eds., SIAM, Philadelphia, 1991, pp. 281–285.

- [38] P. C. Kainen, The significance of the four-color problem, Proceedings of the West Coast Conference on Combinatorics, Graph Theory and Computing, Congress. Numer., XXVI, Utilitas Math., Winnipeg, Man., 1980, pp. 49–66.
- [39] F. Bernhart and P. C. Kainen, The book thickness of a graph, J. Combin. Theory Ser. B 27 (1979) no. 3, 320–331.
- [40] P. Erdős, S. H. Hechler, and P. C. Kainen, On finite superuniversal graphs, *Discrete Math.* 24 (1978) no. 3, 235–249.
- [41] P. C. Kainen and A. T. White, On stable crossing numbers, J. Graph Theory 2 (1978) no. 3, 181–187.
- [42] P. C. Kainen, Long and short walks in trees, Theory and applications of graphs, Lecture Notes in Math. 642, Springer, Berlin, 1978, pp. 309–313.
- [43] F. Harary and P. C. Kainen, On triangular colorings of a planar graph, Bull. Calcutta Math. Soc. 69 (1977) no. 6, 393–395.
- [44] P. C. Kainen, Chromatic number and skewness, J. Combinatorial Theory Ser. B 18 (1975) 32–34.
- [45] P. C. Kainen, Some recent results in topological graph theory, Graphs and combinatorics, R. A. Bari and F. Harary, Eds., Lecture Notes in Math. 406, Springer, Berlin, 1974, pp. 76–108.
- [46] S. H. Hechler and P. C. Kainen, On the immersion of digraphs in cubes, *Israel J. Math.* 18 (1974) 221–233.
- [47] P. C. Kainen, A generalization of the 5-color theorem, Proc. Amer. Math. Soc. 45 (1974) 450–453.
- [48] P. C. Kainen, Thickness and coarseness of graphs, Abh. Math. Sem. Univ. Hamburg 39 (1973) 88–95.
- [49] F. Harary, P. C. Kainen and A. J. Schwenk, Toroidal graphs with arbitrarily high crossing numbers, *Nanta Math.* 6 (1973) no. 1, 58–67.

- [50] F. Harary, P. C. Kainen, A. J. Schwenk, A. T. White, A maximal toroidal graph which is not a triangulation, *Math. Scand.* 33 (1973) 108–112.
- [51] P. C. Kainen, The Lie product of graphs, Proceedings of the Fourth Southeastern Conference on Combinatorics, Graph Theory and Computing, Utilitas Math., Winnipeg, Man., 1973, pp. 381–386.
- [52] P. C. Kainen, Relative colorings of graphs, J. Combinatorial Theory Ser. B 14 (1973) 259–262.
- [53] P. C. Kainen, On the stable crossing number of cubes, Proc. Amer. Math. Soc. 36 (1972) 55–62.
- [54] P. C. Kainen, A lower bound for crossing numbers of graphs with applications to  $K_n$ ,  $K_{p,q}$ , and Q(d), J. Combinatorial Theory Ser. B **12** (1972) 287–298.
- [55] P. C. Kainen, On the chromatic number of certain 2-complexes, Proceedings of the Third Southeastern Conference on Combinatorics, Graph Theory, and Computing, Florida Atlantic Univ., Boca Raton, Fla., 1972, pp. 291–295.
- [56] P. C. Kainen, On the chromatic number of a pinched manifold, preprint, Case Western Reserve University, 1972.
- [57] P. C. Kainen, Trivalent descriptions of graphs, Proceedings of the Second Louisiana Conference on Combinatorics, Graph Theory and Computing, Louisiana State Univ., Baton Rouge, La., 1971, pp. 331–338.
- [58] P. C. Kainen, Embeddings and orientations of graphs, Combinatorial Structures and their Applications, Gordon and Breach, New York, 1970, pp. 193–196.
- [59] P. C. Kainen, On a problem of P. Erdős, J. Combinatorial Theory 5 (1968) 374–377.

#### Geometry, topology & algebraic topology

- [60] P. C. Kainen, Isolated squares in hypercubes and robustness of commutativity, *Cahiers Topologie Geom. Differentielle Categ.* XLIII (2002) 213–220.
- [61] P. C. Kainen, An octonion model for physics, Proceedings of ECHO IV Conference, (Odense, Denmark, August, 2000), to appear after the heat death of the universe - also on my website.
- [62] P. C. Kainen, Newton, Klein, Kauffman, Cayley and the Four Color Problem, abstract for Knots in Washington, XI, Dec. 2000.
- [63] P. C. Kainen, Quantum interpretations of the four color theorem, technical report, Department of Mathematics, Georgetown University, May, 1999.
- [64] P. C. Kainen and V. Kůrková, Quasiorthogonal dimension of Euclidean spaces, Applied Math. Letters 6 (1993) 7–10.
- [65] P. C. Kainen, A uniform bound for rearranged vector sums, Geombinatorics 3 (1993) 10–12.
- [66] P. C. Kainen, Every commutative square of abelian groups can be realized by a homotopy commutative square of Moore, or co-Moore, spaces, J. London Math. Soc. (2) 5 (1972) 577–583.
- [67] P. C. Kainen, Weak adjoint functors, *Math. Zeit.* **122** (1971) 1–9.
- [68] P. C. Kainen, Universal coefficient theorems for generalized homology and stable cohomotopy, *Pacific J. Math.* **37** (1971) 397– 407.
- [69] P. C. Kainen, On microbundles, preprint, Cornell University, 1968.
- [70] P. C. Kainen, On undersequences, undergraduate honors thesis, George Washington University, 1966.

## Heuristics, Psychophysics, & Bio-computation

- [71] P. C. Kainen, Category theory and living systems, in preparation.
- [72] P. C. Kainen, Topological constancy in the visual perception of resonance, in preparation.
- [73] P. C. Kainen, The role of mathematics in heuristic performance, Behavioral and Brain Sciences 23 2000 no. 5, 755-756; review of Simple Heuristics That Make Us Smart (by Gerd Gigerenzer, Peter M. Todd and the ABC Research Group, 1999).
- [74] P. C. Kainen, Mathematical cognition, J. of Evolution and Cognition 4 (1998) 81–89.
- [75] P. C. Kainen, D. F. Mondaini, R. Mondaini, N. Maculan and F. Montenegro, A geometric approach to DNA computing, abstract for poster session, 3rd DIMACS Workshop on DNA Based Computers, Philadelphia, 1997.
- [76] P. C. Kainen, Life as robust mathematics, technical report, Industrial Math, 1997.
- [77] P. C. Kainen, Abstract computation in biology, Actes du Symposium ECHO (Amiens, 1996), A. C. Ehresmann, G. L. Farre and J.-P. Vanbremeersch, Eds., Université de Picardie Jules-Verne, 1996, 101–107.
- [78] P. C. Kainen, Synergy vs. schema, Brain and Behavioral Science 17 no. 2 (1994), 212 and 230 (commentary and author response re: M. Jeannerod, The representing brain: Neural correlates of motor intention and imagery, same journal and issue, pp. 187– 245, including commentaries and responses).
- [79] P. C. Kainen, From trees to topoi, Proceedings of Baden-Baden 1995 G. L. Farre and G. Lasker, Eds., 1995.
- [80] P. C. Kainen, Graph heuristics for biomolecules, Nanobiology 1 (1992) 469–476.

- [81] P. C. Kainen, Functorial cybernetics of attention, Chap. 57 in Neurocomputers and Attention (Proc. of Moscow, 1989), vol. II, A. V. Holden and V. I. Kryukov, Eds., Manchester Univ. Press, 1992.
- [82] P. C. Kainen, On parallel heuristics, Neural Network World 5 (1991) 281–286.
- [83] P. C. Kainen, Biophysical application of Goguen's theorem, technical report, Industrial Math, 1991.
- [84] P. C. Kainen, Categorical coordination of muscular action, in Proc. 8th International Conference on Cybernetics and Systems (New York, 1989), vol. I, C. N. Manikopoulos, Ed., NJIT Press, Newark, NJ, 1990, pp. 314–319.
- [85] P. C. Kainen, How are stable Lissajous figures perceived?, technical report, Industrial Math, 1990.
- [86] P. C. Kainen, Organic computation by adjoint resonance, technical report, Industrial Math, 1989.
- [87] P. C. Kainen, Mathematical theory in neurocomputing, technical report, Industrial Math, 1989.
- [88] P. C. Kainen, Color perception and Thomassen's representation theorem, extended abstract for poster session, First International Neural Network Society (INNS88) meeting, Boston, 1988.
- [89] P. C. Kainen, Neural computation of Lissajous figures, extended abstract for poster session, INNS88, Boston, 1988.
- [90] P. C. Kainen, On the deployment of TASI-E, technical report, Bell Telephone Laboratories, 1981.
- [91] P. C. Kainen, On the psychophysics of TV, technical report, Bell Telephone Laboratories, 1979.
- [92] P. C. Kainen, Laser scan images, in Eine Kleine Lichtmusik: A Sampler of Science/Art/Technology, G. Edwards, Ed., National Science Foundation, 1979.